PiEmme srls

RotoBoat *– Ecological Technological Innovation*

Roto Boat viene costruita con materiale totalmente RICICLABILE per rispetto dell'ambiente in cui viviamo e della salute per i nostri figli.

Allestimento diporto standard

- Specchio di poppa per f.b. benzina in lastra PE.
- 2 bitte in acciaio su specchio di poppa ed 1 su prua - 4 tientibene inox (2 per lato)
- Cima di sicurezza su due lati.
- Panche in PE apribili di cui 2 a poppa e 2 trasversali.
- 6 posti su panche in PE.
- Certificazione di conformità CE categoria di navigazione "C" per 4 persone o “D” per 6 persone - Colore standard imbarcazione: beige con accessori in tono.

MOTORE NON INCLUSO

Franco stabilimento di Viareggio, tasse e trasporto esclusi **€ 5.350,00 (+iva)**

CONSIDERAZIONI PROGETTUALI

Questo progetto ambizioso è nato con l’obbiettivo di realizzare un imbarcazione per una famiglia di 5/6 persone assolutamente sicura per i loro hobby sul mare, nei laghi e nei fiumi.
È inteso per un utilizzo lungo costa.
Il risultato è una barca **sicura e stabile** che ha le seguenti caratteristiche:

Lunghezza	mt. 4,30
Larghezza	mt. 1,80
Altezza	mt. 0,7
Galleggiamento	mt. 0,64
Portata utile	Kg 600
Peso	Kg 200

La sua carena dà una grande stabilità laterale, fondamentale con dei ragazzi a bordo.

Com'è costruita RotoBOAT?

È realizzata in polietilene, materiale molto duro ed indeformabile con 10 anni di garanzia senza tutti i problemi di invecchiamento della vetroresina.

E’ costruita con una tecnologia chiamata “ROTAZIONALE”, con stampi in alluminio fresato a controllo numerico che permettono di stampare la barca in un unico pezzo (scafo e coperta) il che la rende COMPLETAMENTE STAGNA.

Il PE (Polietilene) ha una densità inferiore all'acqua e ciò aiuta molto il galleggiamento e la stablità della barca.

Grazie anche ad appositi utensili il PE è sempre riparabile con semplicità a costi contenuti.

Sono possibili variazioni di colore per forniture minimo di 5 pezzi, previa accettazione.

COLORE IMBARCAZIONE AVORIO CON ACCESSORI IN TONO

OTTIMI MOTIVI PER SCEGLIERE RotoBoat RISPETTO A BARCHE IN VTR O GOMMONI TRADIZIONALI

✓ Basso assorbimento di potenza.

✓ Portata utile Kg. 600 (corrispondenti al peso di 6 persone e/o accessori).

✓ Spazio utile interno equivalente a quello di un gommone di oltre 5 metri.

✓ Naviga con la stessa sicurezza di un gommone.

✓ All'ormeggio è protetta e protegge le barche vicine senza necessità di parabordi.

✓ Imbarcazione completamente stagna.

✓ In navigazione è particolarmente asciutta, anche con vento e mare poco mosso.

✓ La barca ha una stabilità laterale elevatissima.

✓ Abbattimento dei costi di gestione e di ammortamento.

✓ La facilità di riparazione del materiale, permette ad RotoBoat di ritornare come nuova, mantenendo cosi un valore dell'usato pressoché inalterato

TÜRK LOYDU

İKTİSADİ İŞLETMESİ

EC ATTESTATION OF CONFORMITY

CE 1785

We hereby certifies that the product identified below complies with the essential requirements 3.2 (stability and freeboard) and 3.3 (buoyancy and flotation) of the Council Directive 94/25/EC of the 16 June 1994 as amended by Directive 2003/44/EC

Attestation of Conformity No: GT-DEB-2013.0008

This Attestation of Conformity consists of 2 Pages

This is to certify that the product

Recreational Craft

With type designations

RB-430

Manufactured by

PMS Polietilen Mamülleri San. Tic. A.Ş.

Is in accordance with the essential requirements 3.2 (stability and freeboard) and 3.3 (buoyancy and flotation) of the Council Directive 94/25/EC as amended by Directive 2003/44/EC, Annex VI and applied standards as listed overleaf.

Further detail of the product and conditions for certification are given overleaf.

Place and date
İSTANBUL – 26.08.2013

For Türk Loydu

İ. İlker KARPUZ
Head of Marine Division

Hür FIRTINA
Head of Mat.& Prod.Cert.Dept.

53689

Form No: CE 7/4-00/ 29th April 2011

Page 1 of 2

Product description:

Type	: Recreational Craft – Non-sailing boat
Type Designation	: RB-430
Construction Material	: Polyethilen
Length overall, L max.	: 4,30m
Length of Hull, L_H	: 4,30m
Beam overall, B max.	: 1,85m
Draught,T max.	: 0,35m for Category C/0,36m for Category D
Light Craft condition mass	: 368kg
Engine Type	: Outboard engine
Propulsion System(s)	: Tail shaft and propeller
Max.Speed	: 30 knots

Applications/Limitations

Design Category	: C and D
Max. Engine Power	: 37 kW
Max. load as stated on Builder's Plate (incl. persons, equipment)	: 360kg for Category C 525kg for Category D
Max. no of persons	: 4 for Category C / 6 for Category D

Type Approval Documantation

-

Applied Standarts

EN ISO 12217-3 & EN ISO 12217 Amd. 1

Tests Carried out

All tests has carried or according to EN ISO 12217-3 & EN ISO 12217 Amd. 1

Marking of Product

CIN-code : TR-PMS*********

Hür FIRTINA
Head of Mat.& Prod.Cert.Dept.

This certificate is subject to terms and conditions overleaf. Any significant change in design or construction of the product, or amendments to the 94/25/EC Recreational Craft Directive or Standards referenced below may render this Certificate invalid. The product liability rests with the manufacturer or his representative in accordance with Council Directive 94/25/EC, as amended. The CE Marking may only be affixed to the product and a Declaration of Conformity may only be issued when the production/product assessment module referred into the council directive, is fully complied with.

If any person suffers loss or damage which is proved to have been caused by any negligent act or omission of Türk Loydu, that loss is compensated within the limits of "Professional Indemnity Insurance".

PiEmme Srls – s.l: Via C. Pisacane nr 175 – 55049 Viareggio (LU) | s.o: Via dei Metalmeccanici 56 – 55041 Bocchette, Camaiore (LU)
p.iva: 02344710468 | REA: LU – 218122 | Sito: www.piemme-italia.com - www.pontili-galleggianti.com
Tel. +39 0584 346937 | e-mail: info@piemme-italia.com


PAN'S











